

XEROX® VERSALINK® COLOR PRINTERS

Unrivaled Color, Reliability and Performance

C8000 AND C9000



ConnectKey®
Technology



Xerox® VersaLink® C8000 and C9000 Color Printers

When you need professional color, flawless reliability and top productivity in a well-connected printer, count on the VersaLink C8000 and C9000 Color Printers with Xerox® ConnectKey® Technology. The feature-rich, app-enabled C8000 is ready to be customized as your workplace assistant. The C9000 adds greater media flexibility and precision color matching and control tools for graphic arts professionals and creative agencies.

VIBRANT COLOR. BIG PERFORMANCE. TOP RELIABILITY.

Right out of the box, you'll count on the Xerox® VersaLink C8000 and C9000 Color Printers to consistently and flawlessly perform the tasks that make your business work more efficiently. From IT-free installation wizards to step-by-step configuration options, you're ready to go—hassle free.

Designed for superior reliability, the VersaLink C8000 and C9000 Color Printers feature a new hardware design with fewer moving parts, strengthened paper path components and an advanced imaging system.

VersaLink devices are loaded with features and time-saving Xerox® technologies designed to speed up information sharing and reduce inefficient workflows.

When it comes to safeguarding critical information, VersaLink devices deliver a spectrum of stringent security features, including Secure Print and card authentication to control access.

Count on superior print quality to make your work look its best. A print resolution of up to 1200 x 2400 dpi delivers sharp text and fine line detail, plus exceptional color vibrancy that enhances business communications—even on oversize media.

INTUITIVE. POWERFUL. READY FOR ANY JOB.

With the customizable capacitive 5-inch color touchscreen, you can tap, swipe and pinch your way through tasks and functions with mobile-like ease.

Get more done in less time by creating customized 1-Touch Apps to automate multi-step workflows for individuals or groups. Simply tap your new app to quickly perform the job you configured. And with Simple ID, individual users and groups enter a user ID and password once and then enjoy fast, secure access to task-specific presets, individualized favorite contacts and commonly used apps on a personalized home screen.

Whether your documents are color or black and white, letter-size or oversize, the VersaLink C8000 and C9000 Color Printers have the power and features you need to handle even the most challenging print jobs.

CONNECT TO WHAT YOU WANT, WHEN YOU WANT.

The VersaLink C8000 and C9000 Color Printers give you the freedom to work where and how you want. Easily add connectivity to Google Drive™, Microsoft® OneDrive® and Dropbox™, and access additional options through the Xerox App Gallery.

The ability to connect and print from multiple devices is key for today's worker, and VersaLink devices meet the challenge with Apple® AirPrint®, Google Cloud Print™, Xerox® Print Service Plug-in for Android™, Near Field Communication (NFC) Tap-to-Pair and Mopria®, plus optional Wi-Fi® and Wi-Fi Direct®.

Learn more about why Xerox is the only choice for today's mobile professionals by visiting www.xerox.com/mobile.

To learn more about VersaLink device features, go to www.xerox.com/VersaLinkEG.

XEROX® CONNECTKEY® TECHNOLOGY—THE NEXUS OF YOUR COMPLETE PRODUCTIVITY ECOSYSTEM

From Xerox—the company that created the modern workplace—we present the next revolution in workplace productivity. With a consistent user experience across a wide range of devices, mobile and cloud connectivity and a growing library of apps to expand functionality, you'll work faster, better and smarter.

Intuitive User Experience

An entirely new—and yet entirely familiar way to interact that includes a tablet-like experience with gesture-based touchscreen controls and easy customization.

Mobile and Cloud Ready

Instant connectivity to cloud and mobile devices right from the user interface, with access to cloud-hosted services that let you work where, when and how you want.

Benchmark Security

Full multi-level protection for both documents and data, ready to guard against and eliminate emerging threats and meet or exceed regulatory compliance.

Enables Next Generation Services

Work more efficiently and manage resources more effectively. Easy integration of Xerox® Managed Print Services enables remote monitoring of service delivery and consumables.

Gateway to New Possibilities

Instantly extend your capabilities with access to the Xerox App Gallery, featuring real-world apps designed to optimize digital workflows. Commission our network of partners to design innovative, business-specific solutions.

Find out more about how you'll work smarter at www.connectkey.com.



Xerox® VersaLink® C8000 Color Printer
Print. Mobile connectivity.



Xerox® VersaLink® C9000 Color Printer
Print. Mobile connectivity.

1 Card Reader Bay and internal card reader compartment.

2 Front-Side USB Port¹ allows users to quickly print from any standard USB memory device.

3 100-Sheet Bypass Tray handles media sizes from 3.5 x 3.9 in. to 12.6 x 19 in./88.9 x 98.4 mm to 320 x 482.6 mm and banners from 12.6 x 52 in./320 x 1,320.8 mm (64 to 350 gsm).

4 Tray 1 handles up to 520 sheets with custom sizes of 3.9 x 5.8 in. to 11.7 x 17 in./100 x 148 mm to 297 x 431.8 mm (64 to 300 gsm).

5 Tray 2 handles up to 520 sheets with custom sizes of 3.9 x 5.8 in. to 12.6 x 18 in./100 x 148 mm to 320 x 457.2 mm (64 to 300 gsm).

MULTIPLE PAPER TRAY OPTIONS TO FIT EVERY NEED

6 Optional Envelope Kit (replaces Tray 1) provides trouble-free feeding of up to 50 envelopes.

7 Tandem Tray Module adds up to 2,000 sheets; 8.5 x 11 in./A4, B5 (64 to 300 gsm).

8 Two Tray Module adds up to 1,040 sheets with custom sizes of 3.9 x 5.8 in. to 12.6 x 18 in./100 x 148 mm to 320 x 457.2 mm (64 to 300 gsm).

9 High Capacity Feeder adds up to 2,000 sheets with standard sizes of 8.5 x 11 in., 7.25 x 10.5 in./A4, B5 (64 to 216 gsm).

ADD INCREASED VERSATILITY WITH FINISHING OPTIONS

10 Dual Offset Catch Tray (standard when finishers are not attached): 250 sheets each tray.

11 Optional Office Finisher gives you advanced finishing functions at a great value and offers optional crease/score and saddle-stitch booklet making capable of 60-page booklets (2 to 15 sheets).

12 Optional BR Booklet Maker Finisher provides the capability to create 64-page saddle-stitched booklets (2 to 16 sheets).

¹ USB ports can be disabled.

INTRODUCING TOUCHSCREEN SUPERIORITY

Meet our all-new, 5-inch color touchscreen—the user interface that sets a higher standard for customization, personalization and versatility.

By presenting a familiar “mobile” experience—with support for gestural input and task-focused apps that share a common look and feel—fewer steps are needed to complete even the most complex jobs.

A highly intuitive layout guides you through every task from start to finish, with a natural hierarchy placing critical functions near the top of the screen and commonly used options front and center. Don't like where a function or app is located? Customize the layout to make it yours.

This unmatched balance of hardware technology and software capability helps everyone who interacts with the VersaLink® C8000 and C9000 Color Printers get more work done, faster.



Xerox® VersaLink® C8000 and C9000
Default Configuration



Xerox® VersaLink® C8000 and C9000

ConnectKey®

Technology

The VersaLink C8000 and C9000 Color Printers are built on Xerox® ConnectKey® Technology.

For more information, visit www.connectkey.com.

DEVICE SPECIFICATIONS		VersaLink C8000DT	VersaLink C9000DT
Speed		Up to 45 ppm letter/A4	Up to 55 ppm letter/A4
Monthly Duty Cycle ¹		205,000	270,000
Hard Drive/Processor/Memory		Optional 320 GB HDD/1.6 GHz/4 GB	320 GB HDD/1.6 GHz/4 GB
Connectivity		Ethernet 10/100/1000Base-T, High-speed USB 3.0, Wi-Fi® and Wi-Fi Direct® with optional Wi-Fi Kit, NFC Tap-to-Pair	
Controller Features		Configuration Cloning, Xerox Extensible Interface Platform®, Xerox App Gallery, Xerox® Standard Accounting Tool, Role Based Permissions, Convenience Authentication Enabled	
Print Resolution		Up to 1200 x 2400 dpi	
First-print-out Time		As fast as 11 seconds color/ 11 seconds black and white	As fast as 10.5 seconds color/10 seconds black and white
Page Description Languages		PCL® 5c/PCL 6/PDF/XPS/TIFF/JPEG/HP-GL®/Adobe® PostScript® 3™	
Color Management		Embedded spot color table, Xerox Color Corrections	
Paper Input	Standard	Bypass Tray: Up to 100 sheets; Custom sizes: 3.5 x 3.9 in. to 12.6 x 19 in./88.9 x 98.4 mm to 320 x 482.6 mm; Banners: 12.6 x 52 in./320 x 1,320.8 mm (C8000: 64 to 300 gsm; C9000: 64 to 350 gsm) Tray 1: Up to 520 sheets; Custom sizes: 3.9 x 5.8 in. to 11.7 x 17 in./100 x 148 mm to 297 x 431.8 mm (64 to 300 gsm) Tray 2: Up to 520 sheets; Custom sizes: 3.9 x 5.8 in. to 12.6 x 18 in./100 x 148 mm to 320 x 457.2 mm (64 to 300 gsm)	
	Optional	Two Tray Module: Up to 1,040 sheets; Custom sizes: 3.9 x 5.8 in. to 12.6 x 18 in./100 x 148 mm to 320 x 457.2 mm (64 to 300 gsm) Tandem Tray Module: Up to 2,000 sheets; 8.5 x 5.8 in., 7.25 x 10.5 in./A4, B5 (64 to 300 gsm) High Capacity Feeder: Up to 2,000 sheets; 8.5 x 11 in., 7.25 x 10.5 in./A4, B5 (64 to 216 gsm) Envelope Tray (replaces Tray 1): Up to 50 envelopes: #10 Commercial, Monarch, DL, C4, C5, C6 (75 to 90 gsm)	
Paper Output/Finishing	Standard	Dual Offset Catch Tray (standard when finishers are not attached): 250 sheets each	
	Optional	Office Finisher: 2,000-sheet stacker, 50 sheets stapled, 3-position stapling, optional hole punch, optional booklet maker (score, saddle stitch) BR Booklet Maker Finisher: 1,500-sheet stacker and 500-sheet top tray, 50-sheet multiposition stapling and 2/3-hole punching plus saddle-stitch booklet making (2 to 16 sheets, 64 pages) and V-folding	
Automatic Two-sided Printing		Standard	

INTUITIVE USER EXPERIENCE

Customize and Personalize	Walkup customization, Personalize Home Screen by User, Multiple Home Screens with Simple ID, Customize by Site, Function or Workflow with Xerox App Gallery and Xerox® App Studio
Print Drivers	Job Identification, Bi-directional Status, Job Monitoring, Xerox® Global Print Driver® and Mobile Express Driver®
Embedded Web Server	PC or mobile—Status Information, Responsive Design, Settings, Device Management, Cloning
Print Features	Print from USB, Secure Print, Sample Set, Personal Print, Saved Job, Xerox® Earth Smart Driver Settings, Job Identification, Booklet Creation, Store and Recall Driver Settings, Bi-directional Real-time Status, Scaling, Job Monitoring, Application Defaults, Two-sided Printing (DN configuration), Skip Blank Pages, Draft Mode

MOBILE AND CLOUD READY

Mobile Printing	Apple® AirPrint® ² , Google Cloud Print™ Ready, Xerox® Print Service and Mopria® Print Service Plug-ins for Android™, @PrintByXerox
Mobility Options	Xerox® Mobile Print and Mobile Print Cloud ³ , Connect via NFC/Wi-Fi Direct Printing ³ . Visit www.xerox.com/officemobileapps for available apps.
Cloud Connectors ⁴	Print from Google Drive™, Microsoft® OneDrive®, Dropbox™, Microsoft Office 365®, Box®, Xerox® DocuShare® Platform ³ and more

BENCHMARK SECURITY

Network Security	IPsec, HTTPS, Network Authentication, SNMPv3, SSL/TLS, Security Certificates, Pre-installed Self-signed Certificates
Device Access	Firmware Verification, User access and internal firewall, Port/IP/Domain Filtering, Audit Log, Access Controls, User Permissions, Smart Card-Enabled (CAC/PIV/.NET), Xerox® Integrated RFID Card Reader Bay
Data Protection	Setup/Security Wizards, Job Level Encryption via HTTPS/IPPS submission, Encrypted hard disk (AES 256-bit, FIPS 140-2) and image overwrite ⁵ , Encrypted Apps with Embedded Certificate Support
Document Security	Secure Print

ENABLES NEXT GENERATION SERVICES

Print Management	Xerox® Workplace Suite and Xerox® Workplace Cloud ³ , Configuration Cloning, Xerox® Standard Accounting, Equitrac ³ , Y Soft ³ and more
Managing Print	Xerox® Device Manager, Xerox® Support Assistance, Auto Meter Read, Managed Print Services tools
Sustainability	Cisco EnergyWise®, Earth Smart Printing, Print User ID on margins

GATEWAY TO NEW POSSIBILITIES

Xerox App Gallery Many apps and cloud services available. Visit www.xerox.com/appgallery for a growing selection of Xerox® apps available for adding functions.

¹ Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis; ² Visit www.apple.com for AirPrint Certification list; ³ Purchased option; ⁴ Free optional download from Xerox App Gallery to the Printer—www.xerox.com/xeroxappgallery; ⁵ HDD required for image overwrite.

Certifications

To view the latest list of certifications, go to www.xerox.com/OfficeCertifications.

Supplies

Standard Capacity Toner Cartridges for C8000:

Black: 12,600 pages ⁶	106R04037
Cyan: 7,600 pages ⁶	106R04034
Magenta: 7,600 pages ⁶	106R04035
Yellow: 7,600 pages ⁶	106R04036

High Capacity Toner Cartridges for C8000:

Black: 20,900 pages ⁶	106R04049
Cyan: 16,500 pages ⁶	106R04046
Magenta: 16,500 pages ⁶	106R04047
Yellow: 16,500 pages ⁶	106R04048

Standard Capacity Toner Cartridges for C9000:

Black: 18,900 pages ⁶	106R04065
Cyan: 12,300 pages ⁶	106R04062
Magenta: 12,300 pages ⁶	106R04063
Yellow: 12,300 pages ⁶	106R04064

High Capacity Toner Cartridges for C9000:

Black: 31,400 pages ⁶	106R04077
Cyan: 26,500 pages ⁶	106R04074
Magenta: 26,500 pages ⁶	106R04075
Yellow: 26,500 pages ⁶	106R04076

Routine Maintenance Items:

Drum Cartridge: 190,000 pages each color ⁷ / 190,000 pages black ⁷	101R00602
Waste Cartridge: Up to 47,000 pages ⁷	108R01504
IBT Cleaner: Up to 160,000 pages ⁷	104R00256
Transfer Roller: Up to 200,000 pages ⁷	116R00015

Options

Xerox® Precise Color Management System software for C9000DT	097S04974
Two Tray Module	097S04969
Tandem Tray Module	097S04970
High Capacity Feeder	097S04845
Envelope Tray (Replaces Tray 1)	497K17880
Office Finisher	097S04848
2/3 Hole Punch for Office Finisher	497K03860
Booklet Maker for Office Finisher	497K03852
Booklet Maker Finisher with 2/3 Hole Punch	097S04981
HDD (320 GB Hard Drive for C8000)	097S04971
Wireless Network Adapter (Wi-Fi Kit)	497K16750
Internal Card Reader/RFID Kit	497K18120

⁶ Average standard pages. Declared Yield in accordance with ISO/IEC 19798. Yield will vary based on image, area coverage and print mode.

⁷ Approximate pages. Declared yield will vary depending on job run length, media size/orientation and machine speed. For more information, visit <http://www.office.xerox.com/latest/SUPGL-01.PDF>.

Configurations vary by geographical location.

For more detailed specifications, go to www.xerox.com/C8000PrinterSpecs or www.xerox.com/C9000PrinterSpecs.

©2018 Xerox Corporation. All rights reserved. Xerox®, Xerox and Design®, ConnectKey®, DocuShare®, Global Print Driver®, Mobile Express Driver®, VersaLink® and Xerox Extensible Interface Platform® are trademarks of Xerox Corporation in the United States and/or other countries. The information in this brochure is subject to change without notice. 10/18 PNO3335_T8 BR25148

VC8BR-01UA

