

# HP Color LaserJet Enterprise M751 dn



## The next generation of quality, productivity, and security

HP LaserJet printers power office productivity with a smart, streamlined design that's reliable and hassle-free. Count on premium quality, maximum uptime, and strong security<sup>1</sup> – all intended to drive successful organizations forward.



Dynamic security enabled printer. Only intended to be used with cartridges using an HP original chip. Cartridges using a non-HP chip may not work, and those that work today may not work in the future. Learn more at: <http://www.hp.com/go/learnaboutsupplies>

### Professional colour printing

- Print premium, professional-quality documents with vivid colour images and graphics.
- Special print mode for a wider colour range, an extra level of vividness for documents and marketing materials.
- Consistent professional quality and performance – Original HP Toner cartridges with JetIntelligence and drums.
- Look professional on every page with vibrant, high-quality colour prints that stand the test of time.

### Minimal interruptions, maximum productivity

- Change the toner and drum in seconds. Both are easily accessible and come already installed out of the box.
- Avoid interruptions with an HP LaserJet printer designed for maximum productivity.
- Tailor this printer to meet the needs of your business with a wide range of paper-handling accessories.
- Grab pages and go, without waiting. This HP LaserJet wakes up quickly and prints fast – up to 41 ppm.<sup>2</sup>

### HP's most secure printing<sup>1</sup>

- Each printer in your fleet checks its operating code and repairs itself from attacks.
- Your printer's outgoing network connections are inspected to stop suspicious requests and thwart malware.
- Memory activity is monitored to continually detect and stop attacks
- Firmware is automatically checked during startup to determine if it's authentic code – digitally signed by HP.



2-sided printing



Low-cost cartridges



Affordability



Anti-fraud protection

## Product walkaround

### HP Color LaserJet Enterprise M751dn shown

1. 250 sheet output bin
2. Front door (access to JetIntelligence toner cartridges and imaging drums)
3. Automatic two-sided printing
4. 550 sheet tray 2 supports media sizes up to A3
5. 2nd generation Hardware Integration Pocket (for connecting accessory and third-party devices)
6. 6.9 cm colour graphic display with 24-key pad
7. Easy-access USB port
8. 100 sheet multipurpose tray 1 supports media sizes up to 305 x 457 mm and SRA3
9. Right door (access to the print path)
10. Slot for cable-type security lock
11. 2 Hi-Speed USB 2.0 Host ports
12. Gigabit/Fast Ethernet 10/100/1000Base-TX network port
13. Hi-Speed USB 2.0 device port



## Accessories, Supplies and Support

<b>Supplies</b>	<b>W2000A</b> HP 658A Black Original LaserJet Toner Cartridge (7,000 pages)
	<b>W2000X</b> HP 658X High Yield Black Original LaserJet Toner Cartridge (33,000 pages)
	<b>W2001A</b> HP 658A Cyan Original LaserJet Toner Cartridge (6,000 pages)
	<b>W2001X</b> HP 658X High Yield Cyan Original LaserJet Toner Cartridge (28,000 pages)
	<b>W2002A</b> HP 658A Yellow Original LaserJet Toner Cartridge (6,000 pages)
	<b>W2002X</b> HP 658X High Yield Yellow Original LaserJet Toner Cartridge (28,000 pages)
	<b>W2003A</b> HP 658A Magenta Original LaserJet Toner Cartridge (6,000 pages)
	<b>W2003X</b> HP 658X High Yield Magenta Original LaserJet Toner Cartridge (28,000 pages)
	<b>W2004A</b> HP 660A Original LaserJet Imaging Drum (65,000 pages)
	<b>W2000XC</b> HP 658X Black Contract LaserJet Toner Cartridge (33,000 pages)
	<b>W2001XC</b> HP 658X Cyan Contract LaserJet Toner Cartridge (28,000 pages)
	<b>W2002XC</b> HP 658X Yellow Contract LaserJet Toner Cartridge (28,000 pages)
	<b>W2003XC</b> HP 658X Magenta Contract LaserJet Toner Cartridge (28,000 pages)
<b>Accessories</b>	<b>2EH31A</b> HP MFP Analog Fax Accessory 700
	<b>3JN69A</b> HP Jetdirect 3100w BLE/NFC/Wireless Accessory
	<b>4QL32A</b> HP Legic Secure USB Reader
	<b>5EL03A</b> HP Secure Hard Disk Drive with FIPS Validation (TAA Compliant)
	<b>B5L28A</b> HP Internal USB Ports
	<b>B5L29A</b> HP High-Performance Secure Hard Disk
	<b>B5L31A</b> HP Foreign Interface Harness
	<b>E5K48A</b> HP 1 GB x32 144-pin (800 MHz)DDR3 SODIMM
	<b>E5K49A</b> HP 2 GB x32 144-pin (800 MHz) DDR3 SODIMM
	<b>J8031A</b> HP Jetdirect 2900nw Print Server
	<b>T3V27A</b> HP LaserJet 550-sheet Paper Tray
	<b>T3V28A</b> HP LaserJet Printer Stand
	<b>T3V29A</b> HP Color LaserJet 2x550-sheet Feeder and Stand
<b>T3V30A</b> HP LaserJet 2700-sheet High Capacity Paper Tray and Stand	
<b>X3D03A</b> HP Universal USB Proximity Card Reader	
<b>Y7C05A</b> HP HIP2 Keystroke Reader	
<b>Service and Support</b>	<b>UB5C3E</b> HP 3 years Next Business Day with Defective Media Retention for Color LaserJet M751 Service
	<b>UB5C4E</b> HP 4 years Next Business Day with Defective Media Retention for Color LaserJet M751 Service
	<b>UB5C5E</b> HP 5 years Next Business Day with Defective Media Retention for Color LaserJet M751 Service
	<b>UB5D2PE</b> HP 1 year Post Warranty Next Business Day with Defective Media Retention for Color LaserJet M751 Service
	<b>UB6X3PE</b> HP 2 years Post Warranty Next Business Day with Defective Media Retention for Color LaserJet M751 Service

## Technical specifications

<b>Model</b>	<b>HP Color LaserJet Enterprise M751dn</b>
<b>Product number</b>	T3U44A
<b>Functions</b>	Print
<b>Control panel</b>	6.86 cm (2.7 in) QVGA LCD (colour graphics); Rotating (adjustable angle) display with 24-key pad
<b>Print</b>	
Print technology	Laser
Print speed <sup>1</sup>	<b>Black (A4, normal):</b> Up to 41 ppm; <b>Colour (A4, normal):</b> Up to 41 ppm; <b>Black (A4, duplex):</b> Up to 41 ipm; <b>Colour (A4, duplex):</b> Up to 41 ipm;
First page out <sup>2</sup>	<b>Black (A4, ready):</b> As fast as 5.7 sec; <b>Colour (A4, ready):</b> As fast as 6.1 sec; <b>Black (A4, sleep):</b> As fast as 11.5 sec; <b>Colour (A4, sleep):</b> As fast as 11.5 sec;
Print resolution	<b>Black (best):</b> Up to 600 x 600 dpi; <b>Colour (best):</b> Up to 600 x 600 dpi; <b>Technology:</b> HP ImageREt 4800, Enhanced (600 x 600 dpi), Fine Lines (1200 x 1200 dpi), Quickview (300 x 300 dpi);
Monthly duty cycle <sup>3</sup>	Up to 150,000 pages A4; <b>Recommended monthly page volume<sup>4</sup>:</b> Up to 40,000
Printer smart software features	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB
Standard print languages	HP PCL 6, HP PCL 5 (HP PCL 5 driver available from the Web only), HP postscript level 3 emulation, native PDF printing (v 1.4), Apple AirPrint™
Fonts and typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); Additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at <a href="http://www.hp.com/go/laserjetfonts">http://www.hp.com/go/laserjetfonts</a>
Print area	<b>Print margins:</b> Top: 5 mm, Bottom: 5 mm, Left: 5 mm, Right: 5 mm; Maximum print area : 310 x 447 mm
Duplex printing	Automatic (standard)
<b>Processor speed</b>	1.2 GHz
<b>Connectivity</b>	
Standard	1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 rear host ports; 1 walkup USB 2.0 host port; 1 Gigabit/Fast Ethernet 10/100/1000 Base-TX network port; 1 Hardware Integration Pocket 2nd generation (HIP2)
Optional	HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A (Dual band Wireless Station and Wi-Fi Direct functionality); HP Jetdirect 2900nw Print Server J8031A (Dual band Wireless Station)
Wireless	Optional, enabled with purchase of a hardware accessory, HP Jetdirect 2700w USB Wireless Print Server J8026A
Mobile printing capability	HP ePrint; Apple AirPrint™; Mopria™ Certified; Google Cloud Print™; HP Roam
Supported network protocols	IPv4/IPv6: Apple Bonjour Compatible (Mac OS v10.2.4 or higher), SNMPv1/v2c/v3, HTTP, HTTPS, FTP, TFTP, Port 9100, LPD, WS Discovery, IPP, Secure-IPP, IPsec/Firewall; IPv6: DHCPv6, MLDv1, ICMPv6; IPv4: Auto-IP, SLIP, Telnet, IGMPv2, BOOTP/DHCP, WINS, IP Direct Mode, WS Print
Network capabilities	Yes, via HP Jetdirect Ethernet embedded print server (standard) supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11b/g/n wireless networking (optional)
<b>Hard disk</b>	Optional 500 GB HDD: HP Secure High Performance Hard Disk drive 500 GB B5L29A; HP FIPS-140-2 Secure Hard Disk Drive 5EL03A
<b>Memory</b>	<b>Standard:</b> 1.5 GB; <b>Maximum<sup>5</sup>:</b> 2 GB
<b>Media handling</b>	
Number of paper trays	<b>Standard:</b> 2; <b>Maximum:</b> 6
Media types	Paper (plain, heavy, extra heavy, glossy, light, recycle, tough), envelopes, labels, glossy film, cardstock, transparencies
Media size	<b>Custom (metric):</b> Tray 1: 64 x 127 to 320 x 457.2 mm; Tray 2: 148 x 148 to 297 x 431.8 mm; Optional tray 3, 4, 5, 6: 148 x 148 to 320 x 457.2 mm <b>Supported (metric):</b> Tray 1: A3, A4, A4-R, A5, A6, RA3, SRA3, RA4, SRA4, B4 (JIS), B5 (JIS), B6 (JIS), Oficio (216 x 340 mm), 8K (270 x 390 mm), 8K (260 x 368 mm), 8K (273 x 394 mm), 16K (195 x 270 mm), 16K (184 x 260 mm), 16K (197 x 273 mm), DPostcard (JIS), envelopes, B5, C5, C6, DL; Tray 2: A3, A4, A4-R, A5, RA4, SRA4, B4 (JIS), B5 (JIS), Oficio (216 x 340 mm), 8K (270 x 390 mm), 8K (260 x 368 mm), 8K (273 x 394 mm), 16K (195 x 270 mm), 16K (184 x 260 mm), 16K (197 x 273 mm), DPostcard (JIS); Optional tray 3,4,5,6: A3, A4, A4-R, A5, RA3, SRA3, RA4, SRA4, B4 (JIS), B5 (JIS), Oficio (216 x 340 mm), 8K (270 x 390 mm), 8K (260 x 368 mm), 8K (273 x 394 mm), 16K (195 x 270 mm), 16K (184 x 260 mm), 16K (197 x 273 mm), DPostcard (JIS)

<b>Model</b>	<b>HP Color LaserJet Enterprise M751dn</b>
<b>Product number</b>	T3U44A
<b>Media handling</b>	<b>Standard input:</b> 100 sheet multipurpose tray, 550 sheet input tray <b>Standard output:</b> 250 sheet output bin <b>Optional input:</b> 550 sheet input tray, 2 x 550 sheet input stand, 2,700 sheet (1,600 + 1,100) high capacity input stand
<b>Media weight</b>	Tray 1: 60 to 300 g/m <sup>2</sup> ; Tray 2: 60 to 256 g/m <sup>2</sup> ; Optional Tray 3,4,5,6: 60 to 256 g/m <sup>2</sup> ; Optional HCl feeder stand: 60 to 256 g/m <sup>2</sup>
<b>Input capacity</b>	<b>Tray 1:</b> Sheets: 100 (80 g/m <sup>2</sup> ); Transparencies: 50; Envelopes: 10; Labels: 50 <b>Tray 2:</b> Sheets: 550 (80 g/m <sup>2</sup> ); Transparencies: 200; Labels: 200 <b>Tray 3:</b> Sheets: 550 (80 g/m <sup>2</sup> ); Transparencies: 200; Labels: 200 <b>Maximum:</b> Up to 4,450 sheets (80 g/m <sup>2</sup> paper)
<b>Output capacity</b>	<b>Standard:</b> Up to 250 sheets Envelopes: Up to 50 envelopes Transparencies: Up to 150 sheets <b>Maximum:</b> Up to 250 sheets
<b>Compatible operating systems<sup>5</sup></b>	Windows Client OS (32/64-bit), Windows 10, Windows 8.1, Windows 8 Basic, Windows 8 Pro, Windows 8 Enterprise, Windows 8 Enterprise N, Windows 7 Starter Edition SP1, UPD Windows 7 Ultimate, Mobile OS, iOS, Android, Mac, Apple® macOS Sierra v10.12, Apple® macOS High Sierra v10.13, Apple® macOS Mojave v10.14, Discrete PCL6 Printer Driver, for more information on the supported operating systems go to <a href="http://www.support.hp.com">http://www.support.hp.com</a> , enter your product name and search, click on User Guides and enter your product name and search for User Guide, search for your (Product Name) - User Guide, search for the Supported Operating Systems section, UPD PCL6 / PS Printer Drivers, Supported Operating systems, for more information on the supported operating systems see <a href="http://www.hp.com/go/upd">http://www.hp.com/go/upd</a>
<b>Compatible network operating systems</b>	Windows Server 2008 R2 64-bit, Windows Server 2008 R2 64-bit (SP1), Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Failover Cluster 2008 R2, Failover Cluster 2012 R2, Terminal server 2008 R2, Remote Desktop server 2012 R2, Citrix Server 6.5, Citrix XenApp & XenDesktop 7.6, Novell iPrint server, Citrix Ready Kit Certification - Up to Citrix Server 7.18, for more information see <a href="http://www.citrixready.citrix.com">http://www.citrixready.citrix.com</a> , Linux - For more information see <a href="http://www.developers.hp.com/hp-linux-imaging-and-printing">http://www.developers.hp.com/hp-linux-imaging-and-printing</a> , Unix - For more information see <a href="http://www.hp.com/go/unixmodelscripts">http://www.hp.com/go/unixmodelscripts</a> , UPD PCL6 / PS Printer Drivers, Supported for Compatible Network Operating systems please see <a href="http://www.hp.com/go/upd">http://www.hp.com/go/upd</a>
<b>Minimum system requirements</b>	<b>Windows:</b> 2 GB available hard disk space, Internet connection, USB port, Internet browser, for additional OS hardware requirements see <a href="http://www.microsoft.com">http://www.microsoft.com</a> <b>Mac:</b> 2 GB available hard disk space, Internet connection or USB port, for additional OS hardware requirements see <a href="http://www.apple.com">http://www.apple.com</a>
<b>Software included</b>	No software solutions are included in the Box, only on <a href="http://www.hp.com">http://www.hp.com</a> , <a href="http://www.123.hp.com">http://www.123.hp.com</a>
<b>Security management</b>	Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP-PEAP, EAP-TLS), IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WJA-10 IPsec Configuration using IPsec Plug-in
<b>Printer management</b>	HP Printer Assistant; HP Utility (Mac); HP Device Toolbox; HP Web JetAdmin Software; HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Driver (Driver Configuration Utility - Driver Deployment Utility - Managed Printing Administrator)
<b>Dimensions and weight</b>	
<b>Printer dimensions (W x D x H)<sup>7</sup></b>	<b>Minimum:</b> 556 x 589 x 399 mm; <b>Maximum:</b> 1051 x 992 x 443 mm;
<b>Package dimensions (W x D x H)</b>	786 x 736 x 558 mm
<b>Printer weight<sup>8</sup></b>	45.1 kg
<b>Package weight</b>	52.9 kg
<b>Operating environment</b>	<b>Temperature:</b> 10 to 32.5°C <b>Humidity:</b> 30 to 70% RH
<b>Storage conditions</b>	<b>Temperature:</b> -20 to 40°C
<b>Acoustics<sup>9</sup></b>	<b>Acoustic power emissions:</b> 6.6 B(A) <b>Acoustic pressure emissions:</b> 51 dB(A)
<b>Power<sup>10</sup></b>	<b>Requirements:</b> Input voltage: 220 V to 240 V nominal (+/-10%), 50 - 60 Hz nominal (+/- 3 Hz), 6 A; <b>Consumption:</b> 870 watts (Max. Printing), 850 watts (Typical Printing), 48 watts (Ready), 0.6 watts (Sleep), 0.6 watts (Auto-Off/Auto On), 0.08 watts (Auto-Off), 0.08 watts (Off); <b>Typical Electricity Consumption (TEC)<sup>11</sup>:</b> Blue Angel: 1.93 kWh/Week; Energy Star: 1.91 kWh/Week; <b>Power supply type:</b> Built-in 115V or 220V Power Supply;
<b>Energy savings feature technology</b>	HP Auto-On/Auto-Off Technology; Instant-on Technology
<b>Certifications<sup>12</sup></b>	CISPR 22:2008 (International) - Class A, CISPR32:2012 (International) - Class A, EN 55032:2012 (EU) - Class A, EN 61000-3-2:2014, EN 61000-3-3:2013, EN 55024:2010, EMC Directive 2014/30/EU, Issue 6 Class A, other EMC approvals as required by individual countries. ENERGY STAR® qualified; EPEAT® Silver; CECP <b>Blue Angel compliant</b> Yes, Blue Angel DE-UZ 205
<b>Country of origin</b>	Made in Japan
<b>What's in the box<sup>13</sup></b>	HP Color LaserJet Enterprise M751dn printer; HP LaserJet Toner cartridges (1 each, black, cyan, yellow, magenta); Documentation only CD; Guide (getting started guide); Power cord
<b>Warranty</b>	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Contact your Contractual Vendor or go to <a href="http://www.hp.com/support">http://www.hp.com/support</a> to learn about HP award winning service and support options in your region.

## Footnotes

<sup>1</sup> Based on HP review of 2018 published security features of HP in-class printers. HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit <http://www.hp.com/go/PrintersThatProtect>.

<sup>2</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see <http://hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

## Technical specifications disclaimers

<sup>1</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

<sup>2</sup> Measured using ISO/IEC 17629. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

<sup>3</sup> Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.

<sup>4</sup> HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

<sup>5</sup> The Configuration Pages will report maximum memory at 2 GB after 1 GB DIMM installed. This is an expected behavior of this product.

<sup>6</sup> Solution software available on <http://www.123.hp.com>.

<sup>7</sup> Without paper trays extended.

<sup>8</sup> With print cartridges.

<sup>9</sup> Acoustic values are subject to change. For current information see <http://www.hp.com/support>. Configuration tested: base model, simplex printing, A4 paper at an average of 41 ppm.

<sup>10</sup> Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115 V device.

<sup>11</sup> Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115 V device.

<sup>12</sup> EPEAT® registered where applicable. EPEAT registration varies by country. See <http://www.epeat.net> for registration status by country.

<sup>13</sup> Standard cartridges included; Yields: 7,000 black and 6,000 colour composite (C/M/Y) pages. Drums included; Yields: 65,000 black and colour pages. Average black declared yields based on ISO/IEC 19752 and continuous printing. Average colour composite (C/M/Y) declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/learnaboutsups>.



[www.blauer-engel.de/uz205](http://www.blauer-engel.de/uz205)



Windows 10



<http://www.hp.com/uk>

The product could differ from the images shown. © Copyright 2019 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Published in EMEA 4AA7-4653, April 2019

