

Small and mighty: HP's smallest Enterprise printer

HP's entry-level Enterprise-class color printer with speeds up to 28 ppm⁹ and strongest security. 1





Easy to use, simple to manage

- HP FutureSmart firmware can be updated with the latest features¹ to optimise your investment for years to come.
- Centralise control of your printing environment with HP Web Jetadmin and help build business efficiency.²
- Easily enable workflows across your fleet with a consistent user experience and intuitive, tablet-like icons.
- Set up this printer fast, and easily manage device settings to help increase efficiency.

HP's most secure printing³

- The operating code (BIOS) is automatically checked during startup and repairs itself if compromised.
- Common Criteria certified⁴ to continually monitor memory activity to detect and stop attacks in real time.
- Firmware is automatically checked during startup to determine if it's authentic code digitally signed by HP.
- The printer's outgoing network connections are inspected to stop suspicious requests and thwart malware.
- Safeguard data stored on this printer keys, passwords, certificates, and more with the embedded HP Trusted Platform Module.

Enhanced productivity to empower work teams

- Give workgroups what they need to succeed with hundreds of HP and third-party solutions and card reader support.
- Help ensure the security of confidential information with PIN/Pull printing to retrieve print jobs.
- Stay connected with an optional accessory for wireless, ⁶ Bluetooth® Low Energy, and NFC touch-to-print.
- Print directly from the 6.9 cm (2.7 inch) colour display.

Sustainability is smart business

- Help save paper right out of the box. Two-sided (duplex) printing is set at default for automatic savings.
- Help reduce wasted paper and toner by only printing jobs that are truly needed, using HP Roam for Business.⁸
- Save energy without sacrificing performance this printer is ENERGY STAR® and Blue Angel certified.
- Remove barriers and help meet compliance and accessibility standards with the HP Accessibility Kit (which includes Braille overlay and tactile adhesives, an HP Access Handle, and BigKeys LX Keyboard) and compatibility with HP Accessibility Assistant.

Product walkaround

HP Color LaserJet Enterprise M455dn shown

- 1. 150 sheet output bin
- 2. Easy-access USB port
- 3. Front door, access to Original HP toner cartridges with JetIntelligence
- 4. Automatic two-sided printing (default)
- 5. 50 sheet multipurpose input tray 1
- 6. 250 sheet input tray 2
- 7. 6.9 cm colour graphics display
- 8. Convenient front on/off switch
- 9. Right door, access to print path
- 10. Hi-Speed USB 2.0 port for third-party devices
- 11. Hi-Speed USB 2.0 printing port
- 12. Gigabit Ethernet network port



Accessories, Supplies and Support

<u> </u>	WOODAND MEASURE OF THE PLAT OF THE COURT OF
Supplies	W2030A HP 415A Black Original LaserJet Toner Cartridge (2,400 pages)
	W2030X HP 415X High Yield Black Original Laser Jet Toner Cartridge (7,500 pages)
	W2031A HP 415A Cyan Original LaserJet Toner Cartridge (2,100 pages)
	W2031X HP 415X High Yield Cyan Original Laser Jet Toner Cartridge (6,000 pages)
	W2032A HP 415A Yellow Original LaserJet Toner Cartridge (2,100 pages)
	W2032X HP 415X High Yield Yellow Original LaserJet Toner Cartridge (6,000 pages)
	W2033A HP 415A Magenta Original LaserJet Toner Cartridge (2,100 pages)
	W2033X HP 415X High Yield Magenta Original LaserJet Toner Cartridge (6,000 pages)
Accessories	3JN69A HP Jetdirect 3100w BLE/NFC/Wireless Accessory
	4QL32A HP Legic Secure USB Reader
	8FP31A HP Jetdirect LAN Accessory
	CF404A HP LaserJet 550-sheet Feeder Tray
	X3D03A HP Universal USB Proximity Card Reader
	Y7C05A HP HIP2 Keystroke Reader
Service and Support	U11W0E HP 3 year Next Business Day Color LaserJet Enterprise M455 service U11W1E HP 4 year Next Business Day Color LaserJet Enterprise M455 service U11W2E HP 5 year Next Business Day Color LaserJet Enterprise M455 service U11WDE HP 3 year Channel Parts Only Color LaserJet Enterprise M455 service U11WFE HP 4 year Channel Parts Only Color LaserJet Enterprise M455 service U11WGE HP 5 year Channel Parts Only Color LaserJet Enterprise M455 service U11WHPE HP 1 year Post Warranty Next Business Day Color LaserJet Enterprise M455 service U11WJPE HP 2 year Post Warranty Next Business Day Color LaserJet Enterprise M455 service U11WQPE HP 1 year Post Warranty Channel Parts Only Color LaserJet Enterprise M455 service U11WQPE HP 2 year Post Warranty Channel Parts Only Color LaserJet Enterprise M455 service

Technical specifications

Model	HP Color Laser.let Enterprise M455dn
Product number	3PZ95A
Functions	Print
Control panel	6.85 cm Colour Non-Touch Control Panel with 24 Keypad
Print	
Print technology	Laser
Print speed ¹	Black (A4, normal): Up to 27 ppm; Colour (A4, normal): Up to 27 ppm; Black (A4, duplex): Up to 24 ipm; Colour (A4, duplex): Up to 24 ipm;
First page out ²	Black (A4, ready): As fast as 9.5 sec; Colour (A4, ready): As fast as 11.0 sec; Black (A4, sleep): As fast as 11 sec; Colour (A4, sleep): As fast as 12.1 sec;
Print resolution	Black (best): Up to 600 x 600 dpi; Colour (best): Up to 600 x 600 dpi; Technology: HP ImageREt 3600, Enhanced (600x600 dpi), Fine Lines (1200x1200 dpi), Quickview (300x300 dpi);
Monthly duty cycle	Up to 55,000 pages A4; Recommended monthly page volume: 900 to 4,800 Pages
Printer smart software features	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB.
Standard print languages	HP PCL 6, HP PCL 5, HP PostScript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™
Fonts and typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP PostScript Level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono World Type); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at Http://www.hp.com/go/laserjetfonts
Print area	Print margins Top: 2 mm, Bottom: 2 mm, Left: 2 mm, Right: 2 mm; Maximum print area : 212 x 352 mm
Duplex printing	Automatic (default)
Processor speed	800 MHz
Connectivity	
Standard	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network
Optional	HP Jetdirect LAN Accessory 8FP31A; HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A
Wireless	Optional, enabled with purchase of a wireless hardware accessory. Dual band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A
Mobile printing capability ³	HP ePrint; Apple AirPrint™; NFC touch-to-print (optional); Mopria™ Certified; PrinterOn Print; ROAM capable for easy printing; Wi-Fi® Direct printing
Supported network protocols	Via built-in networking solution: TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD, Web Services Printing, IPP 2.0, Apple AirPrint™, HP ePrint; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutoIP, Manual), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6); Management: SNMPv2/v3, HTTP/HTTPS, Syslog; Security: SNMPv3, SSL Cert Management, IPSec(IKEv1 and IKEv2), Firewall, 802.1x
Network capabilities	Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (Optional); Second Ethernet port (Optional).
Hard disk	Not applicable to this product
Memory	Standard: 1.25 GB ;Maximum: 1.25 GB
Media handling	
Number of paper trays	Standard: 2 ;Maximum: 3
Media types	Paper (bond, brochure, coloured, glossy, photo, plain, preprinted, prepunched, recycled, rough); Postcards; Labels; Envelopes
Media size	Custom (metric): Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 98 x 148 to 216 x 356 mm; Optional Tray: 98 x 148 to 216 x 356 mm Supported (metric): Tray 1: A4, RA4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6, 16K, envelopes (B5, C5 ISO, C6, DL ISO); Custom: 76 x 127 to 216 x 356 mm; Tray 2: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); A7 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); A7 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); A7 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); A7 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); A7 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); A7 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); A7 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); A7 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); A7 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); A7 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); A7 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); A7 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); A7 to 216 x 356 mm; Optional Tray 3

Model	HP Color Laser Jet Enterprise M455dn
Product number	3PZ95A
Media handling	Standard input: 50 sheet multipurpose tray, 250 sheet input tray Standard output: 150 sheet output bin Optional input: Optional 550 sheet tray
Media weight	Tray 1: 60 to 176 g/m² (up to 200 g/m² with postcards and HP Color laser glossy photo papers); Tray 2: 60 to 163 g/m² (up to 176 g/m² with postcards, up to 200 g/m² HP Color laser glossy photo papers); Optional Tray 3: 60 to 163 g/m² (up to 176 g/m² with postcards, up to 150 g/m² Glossy media); Automatic duplexer: 60 to 163 g/m²
Input capacity	Tray 1: Sheets: 50; envelopes: 5 Tray 2: Sheets: 250; envelopes: 10 Tray 3: Sheets: 550 Maximum: Up to 850 sheets (with optional 550 sheet tray)
Output capacity	Standard: Up to 150 sheets Envelopes: Up to 20 envelopes Maximum: Up to 150 sheets
Compatible operating systems	Windows Client OS (32/64-bit): Win10, Win8.1, Win7 Ultimate; Mobile OS: iOS, Android; Mac: Apple® MacOS High Sierra v10.13, Apple® MacOS Mojave v10.14, Apple® MacOS Catalina v10.15; Discrete PCL6 Printer Driver: For more information on the supported operating systems go to http://www.support.hp.com, enter your product name and search, click on User Guides and enter your product name and search for User Guide, search for your (Product Name) - User Guide, Search for the Supported Operating Systems section, UPD PCL6 / PS Printer Drivers; Supported Operating systems: For more information on the supported operating systems see http://www.hp.com/go/upd
Compatible network operating systems	Windows Server 2008 R2 64-bit, Windows Server 2008 R2 64-bit (SP1), Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Windows Server 2019 64-bit, Citrix Server 6.5, Citrix XenApp & XenDesktop 7.6, Novell iPrint server; Citrix Ready Kit Certification: Up to Citrix Server 7.18, for more information see http://www.citrixready.citrix.com/; Linux: For more information see http://www.hp.com/go/unixmodelscripts
Minimum system requirements	Windows: 2 GB available hard disk space Internet connection or USB port Internet browser. For additional OS hardware requirements see http://www.microsoft.com Mac: 2 GB available hard disk space Internet connection or USB port Internet browser. For additional OS hardware requirements see http://www.apple.com
Software included	No software solutions are included in the Box only on http://www.hp.com or http://www.123.hp.com
Security management	Identity management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, Optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate, Pre-shared Key, Kerberos authentication, Supports WJA-710 IPsec configuration Plug-in, 802.1X authentication (EAP-PEAP; EAP-TLS), SNMPV3, HTTPS, Certificates, Access Control List; Data: Storage Encryption, Encrypted PDF & Email (uses FIPS40 validated cryptographic libraries from Microsoft), SSL/TLS (HTTPS), Encrypted Credentials; Device: HP Sure Start Secure Boot (BIOS Integrity Checking with self-healing capability), Intrusion Detection (Constant in-device monitoring for attacks), Whitelisting (loads only known good code, Embedded Trusted Platform Module, HP Connection Inspector, Security lock slot, USB port disablement; Security management: Compatible with HP JetAdvantage Security Manager, Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs
Printer management	HP Printer Assistant, HP Web JetAdmin Software, HP JetAdvantage Security Manager, HP SNMP Proxy Agent (Part of HP WebJetAdmin), HP WS Pro Proxy Agent (Part of HP WebJetAdmin), Printer Administrator Resource Kit for HP Universal Print Driver (Driver Configuration Utility - Driver Deployment Utility - Managed Printing Administrator)
Dimensions and weight	
Printer dimensions (W x D x H)	Minimum 413.6 x 472 x 304.4 mm; Maximum: 413.6 x 1038 x 330 mm (printer fully opened)
Package dimensions (W \times D \times H)	497 x 379 x 583 mm
Printer weight	~18.9 kg
Package weight	21.6 kg
Operating environment	Temperature: 15 to 32.5°C Humidity: 10 to 90% RH
Storage conditions	Temperature: -20 to 40°C
Acoustics	Acoustic power emissions: 5.9 B(A) at 27 ipm Acoustic pressure emissions: 48 d(A) at 27 ipm
Power	Requirements: 110-volt input voltage: 110 to 127 VAC (+/- 10%), 60 Hz (+/- 3 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60Hz (+/- 3 Hz) (Not dual voltage, power supply varies by part number with # Option code identifier); Consumption: 574 watts (active printing), 16.7 watts (ready), 1.1 watts (sleep), 0.08 watts (auto-off/manual-on), 0.08 watts (manual off); Typical Electricity Consumption (TEO ⁴ : Blue Angel: 1.105 kWh/Week; Energy Star 3.0: 0.437 kWh/Week; Power supply type: Internal (built-in) Power Supply;
Energy savings feature technology	HP Auto-On/Auto-Off Technology; Instant-on Technology; Instant-on Copy
Certifications ⁵	CISPR 22:2008 (International) Class A, CISPR 32:2012 (International)/ EN 55032:2012, CISPR 35:2016 (International)/ EN 55035:2017, EN 55024:2010+A1:2015, EN 61000-3-2:2014, EN 61000-3-3:2013; Other EMC approvals as required by individual countries. Blue Angel RAL-UZ 205; CECP; ENERGY STAR® certified; EPEAT® Silver Blue Angel compliant® Yes, Blue Angel DE-UZ 205—only ensured when using Original HP supplies
Country of origin	Made in Vietnam
What's in the box ⁷	HP Color Laser Jet Enterprise M455dn printer; HP Black Original Laser Jet Toner Cartridge (~2,400 pages); HP Cyan, Magenta, Yellow Original Laser Jet Toner Cartridges (~2,100 pages each); Getting started Guide; 1 Power cord
Warranty	One-year, On-site Repair 24-hour / 7 day a week phone support

Footnotes

- 1 Some features enabled by future HP FutureSmart firmware upgrades may not be available on older devices, if for example, physical product characteristics limit the functionality of the new feature.
- ² HP Web Jetadmin is free and available for download at http://www.hp.com/go/webjetadmin.
- ³ HP's most advanced embedded security features are available on HP Enterprise and HP Managed devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2019 published features of HP in-class printers. HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device cyber resiliency. For a list of compatible Products, visit http://www.hp.com/go/PrintersThatProtect.

 4 Third-party certification based on Common Criteria Information Technology Security Evaluation ISO/IEC 15408 Standard requirements as of May 2019. Certification applicable to HP Managed and Enterprise devices running HP
- Future Smart Firmware version 4.5.1 and later. For more information: https://www.commoncriteriaportal.org/files/epfiles/Certification%20Report%20-%20HP%20Intrusion%20Detection.pdf. and the properties of the propertity of the properties of the properties of the properties of the p
- ⁵ Use of the HP Trusted Platform Module may require a firmware upgrade.
- ⁶ Wireless performance is dependent on physical environment and distance from access point and may be limited during active VPN connections.
- ⁷ Dependent upon country setup specifications.
- ⁸ To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth® Low Energy (BLE) beaconing capabilities. Subscription may be required. For more information, visit http://www.hp.com/go/roam.

Technical specifications disclaimers

- 1 Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity
- ² Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- ³ To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth® Low Energy (BLE) beaconing capabilities. Customers can purchase the HP Jetdirect 3100w BLE/NFC/Wireless $accessory \ or \ the \ RadBeacon \ USB. \ Subscription \ may \ be \ required. \ For \ more \ information, \ visit \ http://www.hp.com/go/roam.$
- ⁴ Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh).
- ⁵ EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country.
- 6 Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device and 230V for Blue Angel.
- For yield information on the cartridge(s) included with your printer, see http://www.hp.com/go/toneryield. Yield values measured in accordance with ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors.

© Copyright 2021 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

