

EPOS

# ADAPT 600 Series


Maximize focus and productivity anywhere with a headset powered by EPOS AI™ for personal audio with superb call clarity, stereo sound and adaptive ANC. Enjoy a unique UC optimized solution with machine learning enhanced microphone performance. Certified for Microsoft Teams.



We are rebranding from EPOS | SENNHEISER to EPOS branding on our products. During the transition period the same product may exist in both versions



# Key Features



**Experience superior sound to increase your focus**

Renowned stereo sound and a personalized audio profile means you can enjoy high-quality music to help your focus on work

**Ensure clear calls with UC certified solution**

Certified for Microsoft Teams and optimized for UC

**Superb call clarity powered by EPOS AI™**

Machine learning developed algorithms optimize voice pick up, for a natural listening experience from three advanced microphones

**Get organized with Alexa**

Tap and hold to activate Alexa and stay on top of your day-to-day business. Never miss a meeting and plan your schedule both in and out of the office

**Regain concentration anytime, anywhere**

Four adaptive ANC microphone system monitors your working environment and adjusts noise reduction in open offices, while reducing wind noise outdoors

# What's in the Box



Carry Case

USB dongle


USB Cable

Compliance Sheet

ADAPT 660

Safety Guide


# How to Use the ADAPT 600




## Turning the headset on/off




Turns the headset on



Turns the headset off



## ANC switch



Turns ANC Maximum mode on



Turns ANC Adaptive mode on; adjustable via the EPOS Connect app



Turns ANC off

# Additional benefits & features



## Switch effortlessly between your favorite devices

Enjoy multi-point connectivity via Bluetooth® to mobile and softphone simultaneously. BTD 800 USB or USB-C dongle connects to your PC.



## Dedicated button for Microsoft Teams

One press launches Microsoft Teams on PC via the USB dongle



## Stay in touch with your surroundings

Talk Through technology for listening to colleagues without removing the headset



## Enhanced call quality

With advanced sidetone algorithms that remove background noise and improve your call experience



## Benefit from 30 hours of battery life

Reliable performance wherever and however you work



## Designed for mobile workers

Fold flat design with rotating ear cups to switch on and off



## Simply swipe and tap

Features a touch pad for easy, efficient call and media control



## Convenient charging and headset storage

All charging and wired connectivity accessories come in a handy headset carry case



## Enjoy high-quality streaming

High-quality streaming with AptX™



## Manage updates and settings on-the-go

Get updates and select voice assistant and audio profile on the go via the app

---

# Product data

1/3

## General

Wearing style	Over-ear, double-sided headband
Headset weight	227 g / 8 oz
Connectivity	Bluetooth® 5.0, audio cable (2.5 mm and 3.5 mm jack plugs), USB-A/USB-C cable with micro-USB connector
Supported codecs	AptX™, AptX™ low latency, AAC, SBC
Warranty	2 years

## Audio

Speaker frequency response	17 - 23,000 Hz
Microphone type	Digital MEMs beamforming microphone (3 microphones)
Microphone frequency response	150 - 6,800Hz
Noise cancellation	Hybrid adaptive ANC technology with 4 microphones
Total noise attenuation	Up to 30 dB

## Technical

Charging time	3 hours
Standby time	Up to 15 days
Battery time	Up to 30 hours*
Range	Up to 25 m / 82 ft (device dependent)
Touch control	Yes

\* ANC on, Bluetooth® off

---

# Product data

2/3

## Products variants

---

ADAPT 660

---

ADAPT 661

---

## Software

---

EPOS devices can be managed with following Software solutions:

---

EPOS Connect

---

EPOS Manager

---

## What's in the box

---

ADAPT 660 headset, BTD 800 USB-A dongle, USB cable with micro-USB connector, audio cable (2.5 mm and 3.5 mm jack plugs), carry case, safety guide, compliance sheet

---

ADAPT 661 headset, BTD 800 USB-C dongle, USB-C cable with micro-USB connector, audio cable (2.5 mm and 3.5 mm jack plugs), carry case, safety guide, compliance sheet

---

Conduct firmware updates and configure headsets for personal audio preferences. EPOS Connect works for Windows, Mac® and VDI/Thin client environments: [eposaudio.com/software-epos-connect](https://eposaudio.com/software-epos-connect)

---

Manage, update and configure EPOS audio devices from any location -  
For both cloud and on-premises solutions: [eposaudio.com/software-epos-manager](https://eposaudio.com/software-epos-manager)

---

---

# Product data

3/3

Product	Connects to	Certifications	EAN code	UPC code
ADAPT 660 Art. no. 1000200	Softphone/PC mobile devices	Optimized for UC and certified for Microsoft Teams*, Zoom, Google Meet, Webex by Cisco, Avaya and Alcatel Lucent	57 14708 00001 3	8 40064 40221 7
ADAPT 661 Art. no. 1001004	Softphone/PC mobile devices	Optimized for UC and certified for Microsoft Teams*, Webex by Cisco, Avaya and Alcatel Lucent	57 14708 00806 4	8 40064 40806 6

\* Microsoft Teams certification applies when USB-A/USB-C dongle or cable is connected to PC or Mac®.



# Spare parts

1/1

Product	Art. no.	Description	EAN code	UPC code
Carry case	1000420	Protective carry case for headset, USB dongle and cables	57 14708 00221 5	8 40064 40221 7
USB-A cable	1000421	USB-A cable with micro-USB connector. Cable length 1.2 meter	57 14708 00222 2	8 40064 40222 4
USB-C cable	1001127	USB-C cable with micro-USB connector. Cable length 1.2 meter.	57 14708 00929 0	8 40064 40929 2
3,5 mm jack cable	1000212	1,5 mm audio cable	57 14708 00013 6	8 40064 40013 8
USB-A dongle	1000227	The USB dongle provides connection to all Bluetooth® devices in the ADAPT Series	57 14708 00028 0	8 40064 40028 2
USB-C dongle	1000206	Connect any EPOS Bluetooth® audio device quickly and easily to your PC or Mac and tablet	57 14708 00007 5	8 40064 40007 7
Earpads	1000418	Spare earpads in black leatherette	57 14708 00219 2	8 40064 40219 4

---

# Appendix

1/1

Transducer principle	Dynamic, closed
Supported Bluetooth® profiles	
Impedance active	490 ohms / Passive 46 ohms
Sound pressure level (SPL)	Max. 118 dB limited by EPOS ActiveGard®
Total harmonic distortion (THD)	<0.5% (1kHz, 100dB)
Contact pressure	3 N
Voice prompts	Yes (EN, DE, FR, ES, ZH, JA, KO)
Sound effect modes	Yes (club, movie, speech, director-user defined)
EPOS ActiveGard® technology	Protects users against acoustic injury caused by sudden sound burst on the line
EU Noise at Work Limiter®	Enhanced audio protection preventing listening fatigue, average 85 dB over a workday